

Type T/P double coaxial system with hand shower rail, 4 body jets and shower head

### KIT#446CSTM



# **Specifications**

# Composition

- TCSTM46C 4-way Type T/P coaxial valve trim
- R46 4-way Type T/P 3/4" coaxial valve rough
- 5055C Hand shower rail
- 468C 20 cm (8") shower head
- 503C 40 cm (16") shower arm
- 390C Body jet
- 775C Elbow supply

## **Available colors**

- C: Chrome
- BN: Brushed Nickel (PVD)

### **Certifications**


- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

cUPC®

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**





# **Description**

• Trim only

## Available colors


• C : Chrome


• BN : Brushed Nickel (PVD)

#### Certifications

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

cUPC®





#### Sizes, models and finishes may differ from thoses presented.

## Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

## **Customer Service**



4-way Type T/P ¾" coaxial valve rough **R46** 



# **Specifications**

# **Descriptions**

- Rough only
- ¾" inlet male NPT
- Must be supplied with minimum ¾" PEX , ¾" EXPANSION PEX or ½" copper
- Four ½" outlets female NPT
- Service valves
- Test cap
- TXX46XX or TXX88XX trim required to complete


#### Available colors

• :

#### **Certifications**

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

CUPC®



Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

### **Customer Service**



Hand shower rail **5055** 





# **Specifications**

# **Descriptions**

- 150 cm (59") double interlock flexible hose, swivel and 2 check valves
- Scale-free
- Ø22 mm (7/8") slide bar
- Easy-Glide left cursor
- 4358, 3-jet hand shower

## Available colors

- C: Chrome
- BN: Brushed Nickel (PVD)
- PN: Polished Nickel (PVD)

# **Available flows**


- 6.7 L/min, 1.8 gpm (US) 60psi
- 5.69 L/min, 1.5 gpm (US) 60psi ( **5055-15** )
- 6.8 L/min (1.80 gpm) max / 5.1 L/min (1.35 gpm) (45 psi) (

#### 5055-WS)\*

\*EPA certification applicable to the indicated model only\*

### **Certifications**

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval



Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



20 cm (8") shower head **468** 





# **Specifications**

# **Descriptions**

- Scale-free
- G½" inlet female
- Swivel

### Available colors

- C : Chrome
- BN: Brushed Nickel (PVD)
- PN: Polished Nickel (PVD)

#### Available flows


- 7.6 L/min, 2.0 gpm (US) 60psi
- 5.69 L/min, 1.5 gpm (US) 60psi ( **468-15** )
- 6.6 L/min (1.75 gpm) max / 4.9 L/min (1.31 gpm) (45 psi) (

## 468-WS)\*

\*EPA certification applicable to the indicated model only\*

## **Certifications**

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval



#### Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



# **Descriptions**

- ½" inlet male NPT
- Round flange


## **Available colors**

• C : Chrome

• BN : Brushed Nickel (PVD)

• PN : Polished Nickel (PVD)





Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

### **Customer Service**





# **Descriptions**

- ½" inlet female NPT
- Directional
- Scale-free

### **Available colors**

- C : Chrome
- BN: Brushed Nickel (PVD)
- PN: Polished Nickel (PVD)


## Available flow

• 2 à/to 6 L/min, 0.5 à/to 1.6 gpm (US) 60psi

### **Certifications**

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval

CUPC®



#### Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



# **Descriptions**


- ½" outlet male
- Adjustable depth
- ½" inlet female NPT

### **Available colors**

• C : Chrome

BN : Brushed Nickel (PVD)PN : Polished Nickel (PVD)





Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

### **Customer Service**