

Type T/P ¹/₂" coaxial 3-way system with hand shower rail, shower head and spout

KIT#1345PATM



Specifications

Composition

- TPATM45C 3-way Type T/P coaxial valve trim
- R45 3-way Type T/P coaxial valve rough
- 1010C Hand shower rail
- 468C 20 cm (8") shower head
- 513C 50 cm (20") shower arm
- 867C Wall-mount tub spout
- 710C Elbow supply

Available colors

- C : Chrome
- BN : Brushed Nickel (PVD)
- PN : Polished Nickel (PVD)

Certifications

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

CUPC®

Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.



3-way Type T/P coaxial valve trim TPATM45



Specifications

Descriptions

- R45, R45-SPEX or R45-EX rough required to complete
- Thermostatic/pressure balance coaxial cartridge with check valves
- Trim only
- 6 positions (OFF, 1, 1 and 2, 2, 2 and 3, 3) share

Available colors


- C : Chrome
- BN : Brushed Nickel (PVD)
- PN : Polished Nickel (PVD)

Available flow

• 23 L/min, 6.0 gpm (US) 60psi

Certifications

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval
- ADA



Sizes, models and finishes may differ from thoses presented.

Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service



3-way Type T/P coaxial valve rough **R45**



Specifications

Descriptions

- TXX45XX or TXX47XX trim required to complete
- ¹/₂" inlet male NPT or sweat
- Service valves
- Rough only
- Three ¹/₂" outlets male NPT or sweat
- Test cap
- Available colors

•:

- **Certifications**
- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

Ø4 4 3/4 [102 mm] [120 mm] [`] Finished wall / Mur fini 4 1/4 [107 mm] 1 3/4 [46 mm] 1 7/8 [46 mm] 2 to/à 3 1/4 [51 mm to/à 83 mm] DETAIL A Wall template cut out, finished wall / Gabarit de mur pour découpage, mur fini 5 [129 mm]

Sizes, models and finishes may differ from thoses presented.

Warranty

CUPC®

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service

Riobel

Hand shower rail **1010**



Specifications

Descriptions

- Ø19 mm (¾") slide bar
- 10, 4-jet hand shower with pause
- Scale-free
- 150 cm (59") double interlock flexible hose, swivel and 2 check valves
- Easy-Glide left cursor

Available colors

- C : Chrome
- BN : Brushed Nickel (PVD)
- PN : Polished Nickel (PVD)

Available flows


- 6.7 L/min, 1.8 gpm (US) 60psi
- 5.69 L/min, 1.5 gpm (US) 60psi (1010-15)
- 6.8 L/min (1.80 gpm) max / 5.1 L/min (1.35 gpm) (45 psi) (

1010-WS)*

EPA certification applicable to the indicated model only

Certifications

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval



Sizes, models and finishes may differ from thoses presented.

Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service





m (8") shower h **468**

Specifications

Descriptions

- Scale-free
- G¹/₂" inlet female
- Swivel

Available colors

- C : Chrome
- BN : Brushed Nickel (PVD)
- PN : Polished Nickel (PVD)

Available flows


- 7.6 L/min, 2.0 gpm (US) 60psi
- 5.69 L/min, 1.5 gpm (US) 60psi (468-15)

• 6.6 L/min (1.75 gpm) max / 4.9 L/min (1.31 gpm) (45 psi) (468-WS) *

EPA certification applicable to the indicated model only

Certifications

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval



Sizes, models and finishes may differ from thoses presented.

Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service

Ontario, West Canada : 888-287-5354 Quebec, Maritimes, United States : 866-473-8442



UPC®



513

Specifications


Descriptions

- ¹/₂" inlet male NPT
- Round flange

Available colors

- C : Chrome
- BN : Brushed Nickel (PVD)
- PN : Polished Nickel (PVD)





Sizes, models and finishes may differ from thoses presented.

Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service



867

Specifications

Descriptions

- ¹/₂" copper slip fit inlet
- Brass
- Drilling hole diameter = 1 (25mm)

Available colors


- C : Chrome
- BN : Brushed Nickel (PVD)
- PN : Polished Nickel (PVD)

<u>Certifications</u>

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval



cUPC®



Sizes, models and finishes may differ from thoses presented.

Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service



710

Specifications


Descriptions

- ¹/₂" inlet female NPT
- Adjustable depth
- ¹/₂" outlet male

Available colors

- C : Chrome
- BN : Brushed Nickel (PVD)
- PN : Polished Nickel (PVD)





Sizes, models and finishes may differ from thoses presented.

Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service