

Type T/P ½" coaxial 3-way system with hand shower rail and rain and cascade shower head

#### KIT#2745ZOTQ



## **Specifications**

## Composition

- TZOTQ45C 3-way Type T/P coaxial valve trim
- R45 3-way Type T/P coaxial valve rough
- 4825C Hand shower rail
- 404C Rain and cascade shower head
- 774C Elbow supply

#### Available colors

- C: Chrome
- BN: Brushed Nickel (PVD)
- PN: Polished Nickel (PVD)

#### **Certifications**

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

cUPC®

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**







## **Specifications**

### **Descriptions**

- 6 positions (OFF, 1, 1 and 2, 2, 2 and 3, 3) share
- R45, R45-SPEX or R45-EX rough required to complete
- Thermostatic/pressure balance coaxial cartridge with check valves
- Trim only

### **Available colors**


- C : Chrome
- BN : Brushed Nickel (PVD)
- PN: Polished Nickel (PVD)

#### Available flow

• 23 L/min, 6.0 gpm (US) 60psi

### **Certifications**

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval
- ADA



Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



3-way Type T/P coaxial valve rough **R45** 



# **Specifications**

## **Descriptions**

- TXX45XX or TXX47XX trim required to complete
- ½" inlet male NPT or sweat
- Service valves
- Rough only
- Three ½" outlets male NPT or sweat
- Test cap


#### Available colors

•

#### Certifications

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

**CUPC®** 



Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



Hand shower rail 4825





## **Specifications**

## **Descriptions**

- Ø19 mm (¾") slide bar
- 150 cm (59") double interlock flexible hose, swivel and 2 check valves
- 4365, 2-jet hand shower
- Scale-free
- Easy-Glide left cursor

#### Available colors

- C : Chrome
- BN: Brushed Nickel (PVD)
- PN: Polished Nickel (PVD)

#### **Available flows**


- 7.6 L/min, 2.0 gpm (US) 60psi
- 5.69 L/min, 1.5 gpm (US) 60psi ( **4825-15** )
- 6.6 L/min (1.75 gpm) max / 4.9 L/min (1.31 gpm) (45 psi) (

#### 4825-WS)\*

\*EPA certification applicable to the indicated model only\*

#### **Certifications**

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval



#### Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



Rain and cascade shower head **404** 



## **Specifications**

## **Descriptions**

- Scale-free
- · Rain and cascade
- Two ½" inlets female NPT
- Special rough included
- Must be ordered at the same time as the valve rough

#### Available colors

- C: Chrome
- BN: Brushed Nickel (PVD)
- PN: Polished Nickel (PVD)


#### Available flow

• 9.5 L/min, 2.5 gpm (US) 60psi

#### **Certifications**

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval

cUPC®



Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**





## **Specifications**


## **Descriptions**


- ½" inlet female NPT
- ½" outlet male
- Adjustable depth

#### **Available colors**

• C : Chrome

BN : Brushed Nickel (PVD)PN : Polished Nickel (PVD)





Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**