

Type T/P ³/₄" double coaxial system with hand shower rail, 4 body jets and shower head

KIT#483VY



Specifications

Composition

- VY83C 4-way Type T/P ³/₄" coaxial complete valve
- 8080C Hand shower rail
- 499C 25 cm X 40 cm (10" x 16") rectangular shower head
- 594C 40 cm (16") shower arm
- 399C Spin tile body jet
- 799C Elbow supply with shut-off valve

Available colors

- C : Chrome
- **Certifications**
- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

UPC®

Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.



4-way Type T/P ³/₄" coaxial complete valve **VY83**



Specifications

Descriptions

- 4 outlets: two ½"outlets male NPT and two ¾" outlets male NPT or ½" female NPT
- 2 thermo/pressure balance coaxial cartridges with check valves
- 2 integrated volume controls
- 2 different temperatures
- Service valves
- 34" inlet male NPT, dedicated main water supply required

Available colors

• C : Chrome


Available flows

• Type TP - For use with shower heads rated at 7L/min (1.8 gpm) or higher

• 76 L/min, 20 gpm (US) 60psi

Certifications

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval
- ADA



Sizes, models and finishes may differ from thoses presented.

Warranty

CUPC®

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service



Hand shower rail **8080**



Specifications

Descriptions

- Scale-free
- 150 cm (59") double interlock flexible hose, swivel and 2 check valves
- Ø19 mm (¾") slide bar
- 4308, 2-jet hand shower
- Easy-Glide left cursor

Available colors


• C : Chrome

Available flows

- 6.7 L/min, 1.8 gpm (US) 60psi
- 5.69 L/min, 1.5 gpm (US) 60psi (8080-15)

Certifications

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval



Sizes, models and finishes may differ from thoses presented.

Warranty

CUPC®

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service



25 cm X 40 cm (10" x 16") rectangular shower head **499**

11111



Descriptions

- Scale-free
- $G^{1/2}$ " inlet female
- Swivel
 - Stainless steel

Available colors

• C : Chrome

Available flows

- 7.6 L/min, 2.0 gpm (US) 60psi
- 5.69 L/min, 1.5 gpm (US) 60psi (499-15)
- 6.6 L/min (1.75 gpm) max / 4.9 L/min (1.31 gpm) (45 psi) (


499-WS) * *EPA certification app

EPA certification applicable to the indicated model only

Certifications

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval





Sizes, models and finishes may differ from thoses presented.

Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service



594




Specifications

Descriptions

- ¹/₂" inlet male NPT
- Shower arm with Venty flange with set screw

Available colors

• C : Chrome



Sizes, models and finishes may differ from thoses presented.

Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service



399

Specifications

Descriptions

- Rotating jet
- ¹/₂" inlet male NPT
- Special rough included
- Must be ordered at the same time as the valve rough

Available colors

• C : Chrome

Available flow


• 3.7 L/min, 1 gpm (US) 60psi

Certifications

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval



cUPC®



Sizes, models and finishes may differ from thoses presented.

Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service



799

Specifications

Descriptions

- Adjustable depth
- Ceramic cartridge
- ¹/₂" inlet female NPT
- ¹/₂" outlet male

Available colors


• C : Chrome

Certifications

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval



cUPC®



Sizes, models and finishes may differ from thoses presented.

Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all <u>manufacturing defects</u>. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

Customer Service